

XF-11 QUICK TIPS

Here are some tips to help you get the hang of the Flying Fries XF-11 for Microsoft Flight Simulator.

LEFT CONSOLE

Most of the switches and systems are located on the left console. Here is a quick tour:



In addition, you have other controls:

- **Mixture and Throttle levers:** above the fuel area
- **Flaps lever:** below the elevator trim
- **Cowl flaps:** below the lights area
- **Prop pitch control levers:** Between console and seat

FUEL SELECTORS: IDEAL

The five fuel selector knobs give you a lot of freedom and redundancy. Here is the default configuration:



Note that the center tank and center fuel pumps are not used in this standard setup.

QUICK START-UP

Don't hesitate to take a look at the in-game checklists for detailed and guided procedures. But here is a very quick start-up guide from cold and dark:

Battery	ON
Nav Lights	ON
Fuel Selectors	AS SEEN ABOVE

Fuel Pumps	AS SEEN ABOVE
Mixtures	L+R: FULL FORWARD
Throttles	L+R: IDLE
Prop pitch	L+R: FULL FORWARD
Magnetos	L+R: BOTH
Left Primer	PRESS AND HOLD 2S
Left Starter	ON
Right Primer	PRESS AND HOLD 2S
Right Starter	ON
Generators	ON
Avionics	ON
Access door	CLOSED

REFERENCE SPEEDS

Speeds are indicated in knots, for a standard atmosphere, at sea level, with no wind and 50% fuel:

V_{FE} / Max speed flaps extended	220
V_{GE} / Max speed gears extended	200
V_{NO} / Max normal operation speed	340
V_{NE} / Max never exceed speed	365
V_S / Stall speed - flaps retracted	95
V_{S1} / Stall speed - flaps extended	75
V_X / Best angle of climb	120
V_Y / Best rate of climb	160

GO TO FLYINGFRIES.COM